


### TECHNICAL SPECIFICATION

MODEL	OPENINGS	VOLUME (Ltrs.)	DIMENSIONS (mm)										BASE	WEIGHT OF VESSEL WITH BASE (Kg)	
			D1	D	H ± 10	H1	H2	L	F	WA	WLA	WB			WLB
18X65	4" TOP AND BOTTOM	237.0	464	480	1950	1630	1330	375	150	7.5	3.5	7.5	2.5	Tri-pod	25.3



4"-8UN Internal Thread	
PITCH DIA	3.918-3.930"
MINOR DIA	3.865-3.875"
MAJOR DIA	4.000-4.010"

NOTES:	
1.	TANK MUST MEET ALL APPLICABLE SPECIFICATIONS OF NSF/ANST 044 STANDARD, LATEST REVISION.
2.	OPERATING SPECIFICATIONS:
A.	MAXIMUM WORKING PRESSURE: 10.5BAR(150PSI)
B.	TEMPERATURE RANGE: 1-50°C (34-122°F)
C.	MAXIMUM VACUUM: 17KPa (5" Hg)

	NAME	DATE	VERSION NO.	CHANGING DESCRIPTION	CHANGING DATE
DESIGN					
INSPECTION			INDUSTRIAL VESSEL		
APPROVAL			MODEL: 18" (4" TOP AND BOTTOM)	DRAWING NO.	NV-WI-DR-TE-PR-SA-VE0018404
			MATERIAL: FRP UNIT: mm	VERSION NO. 1.1	TOTAL PAGE 1 OF 1 DO NOT MEASURE THE DIMENSIONS.