


TECHNICAL SPECIFICATION

MODEL	OPENINGS	VOLUME (Ltrs.)	DIMENSIONS (mm)											BASE	WEIGHT OF VESSEL WITH BASE (Kg)
			D1	D	H±10	H1	H2	L	F	WA	WLA	WB	WLB		
36X65	4" TOP	899.8	920	910	1785	1690	990	250	150	10	5	10	3.5	Standard	78.1
36X72	4" TOP	1015.1	920	910	1965	1870	1170	250	150	10	5	10	3.5	Standard	82.5



4"-8UN Internal Thread	
PITCH DIA	3.918-3.930"
MINOR DIA	3.865-3.875"
MAJOR DIA	4.000-4.010"

NOTES:	
1. TANK MUST MEET ALL APPLICABLE SPECIFICATIONS OF NSF/ANSI 044 STANDARD, LATEST REVISION.	
2. OPERATING SPECIFICATIONS:	
A. MAXIMUM WORKING PRESSURE:	10.5BAR (150PSI)
B. TEMPERATURE RANGE:	1-50°C (34-122°F)
C. MAXIMUM VACUUM:	17KPa (5" Hg)

	NAME	DATE	VERSION NO.	CHANGING DESCRIPTION	CHANGING DATE
DESIGN					
INSPECTION			INDUSTRIAL VESSEL		
			MODEL: 36" (4" TOP)	DRAWING NO.	NY-WI-DR-TE-PR-SA-VE0036400
APPROVAL			MATERIAL FRP UNIT mm	VERSION NO. 1.1	TOTAL PAGE 1 OF 1 DO NOT MEASURE THE DIMENSIONS.