



## TECHNICAL SPECIFICATION

MODEL	OPENINGS	VOLUME	DOME VOLUME	DIMENSIONS (mm)					BASE	WEIGHT OF VESSEL WITH BASE (Kg)
		(Ltrs.)	(Ltrs.)	"D1"	"D"	"H" ± 25	"L"	"F"		
63X67	6" TOP AND BOTTOM	2623.0	1044.9	1620	1580	2120	330	150	Tri-pod	246.9
63X86	6" TOP AND BOTTOM	3296.0	1044.9	1620	1580	2460	330	150	Tri-pod	308.9



**NOTES:**

1. TANK MUST MEET ALL APPLICABLE SPECIFICATIONS OF NSF/ANSI 044 STANDARD, LATEST REVISION.

2. OPERATING SPECIFICATIONS:

- A. MAXIMUM WORKING PRESSURE: 10.5BAR(150PSI)
- B. TEMPERATURE RANGE: 1-50°C (34-122°F)
- C. MAXIMUM VACUUM: 17kpa (5" Hg)

SIGNATURE						
DESIGN	NAME	DATE	SCALE 1: 8	MODEL: 63"(6" TOP AND BOTTOM)		
INSPECTION			QUANTITY	DESCRIPTION FRP		
APPROVAL				PRESSURE VESSEL		
THIS DRAWING CAN NOT BE COPIED AND/OR USED WITHOUT PRIOR WRITTEN APPROVAL OF NOVI			PROJECTION	COMPUTER CODE	DRAWING NO.	VERSION NO.
					NY-TE-DR-SA-IEV-63	1.5
			DO NOT MEASURE THE DIMENSIONS.	UNIT: MM [ ] INCH	TOTAL PAGE: 1 OF 1	